

## Town of Sahuarita

### Planning & Building Department

375 W. Sahuarita Center Way

Sahuarita, Arizona 85629

Phone: 520 822-8855 Fax: 520 822-8876

[www.sahuaritaaz.gov](http://www.sahuaritaaz.gov)



## **REQUIRED NOTES for LANDSCAPE PLANS**

1. This plan is in conformance with Arizona Revised Statutes section 3-903 and 3-904.
2. Improvements that are located within sight visibility triangles and that are between 30 and 72 inches in height relative to the adjacent roadways shall be in accordance with town of Sahuarita regulations for improvements located within sight visibility triangles, including, but not limited to, those regulations found in STC 18.73.030.
3. All landscaped areas that have plant material shall be irrigated by a fully automatic underground irrigation system, complete with backflow preventer that meets all local codes. The system shall also be designed to accept treated effluent, once it becomes available.
4. All plants used for landscaping are required to be from the Town of Sahuarita Approved Plant List.
5. Professional standards and professional practices for the salvaging and transplanting of protected native plants shall be followed.
6. All plant salvage operations shall be performed by a contractor licensed in the state of Arizona.
7. The north side of all Saguaros and Barrel cactus designated for transplanting shall be marked with a knot in a ribbon (or other non-invasive means) prior to removal from their native habitat to ensure proper orientation in their new location. No marks shall be made directly on the cactus itself.
8. Planting within public sewer easements shall not be allowed. Landscaping in common areas where public sewers are located shall be in accordance with the landscaping and planting guidelines of the Pima County Regional Wastewater Reclamation Department Engineering Design Standards (2012 edition, as amended).
9. All water used for landscaping irrigation and enhancement shall conform to the Arizona groundwater code (title 45 chapter 2) and adopted groundwater management plan for the Tucson Active Management Area.
10. No permanent structures (i.e., masonry walls, fences, etc.) may be constructed within or through the public sewer easement shown herein without separate written consent of the Town of Sahuarita Public Works Department, if applicable or Pima County Wastewater Management Department.

11. Civil engineering plans may contain revisions not reflected on the landscape and irrigation plans. It is the landscape contractor's responsibility to review the civil engineering plans prior to construction and bring to the Town and Owner's attention all revisions and discrepancies found affecting landscaping requirements.
12. The general contractor and/or landscape contractor shall coordinate all fine grading with the Engineer of Record to ensure proper drainage is maintained.
13. All signage walls and entry features will be subject to a separate review and permitting process through the Town of Sahuarita and will be in conformance with the Town of Sahuarita Zoning Code (*or the applicable Specific Plan*).